



a
thing of
beauty.
a
joy
forever.

Kajaria
ETERNITY
tiles forever

THE ULTIMA
800X1600 MM (NEW ARRIVALS)

INDIA'S NO. **1** TILE COMPANY
IS ALSO WORLD'S
8TH LARGEST MANUFACTURER
OF TILES



Kajaria Gailpur Plant, Rajasthan

Kajaria

THE ULTIMA
800x1600 mm

Kajaria
ETERNITY
tiles forever



Expansive beauty inspired by nature; timeless elegance meets modern technology to create aesthetic masterpieces that are built to last. The ultimate expression of your style in your space, available in 800 x1600 mm size.

Features



Scratch Resistant



Stain Resistant



Fire Resistant



High Abrasion Resistance




Easy Installation



Chemical Resistant



Water Resistant



9mm Thickness



Thermal Resistant



Zero Maintenance



Easy To Clean



High Flexural Strength

NEW ARRIVALS

-  For wall application
-  For floor application
-  Fine detailing
-  Stain resistant
-  Water resistant


800X1600 MM




AGARIA WHITE




MORKANA WHITE




STATUARIO CLASSICO



BRECCIA BRONZE




LUCCA BROWN




VIVERA BEIGE




VIVERA GREY




FANTASY BLISS




STELLAR MARFIL



STELLAR BEIGE




IRISH BROWN



LIBERTY GREY




DEJA GREY



GROOT GREY




VOLCANO AZUL



STELLAR GREY



REGAL BOTTICINO




TIARA MARFIL




TIARA GRIS




TIARA TAUPE



ASTER BEIGE




ISHAKA BEIGE



ISHAKA GREY




ONYX PARADISO




ROYAL BOTTICINO



PYUS MARFIL



KOSMOS BEIGE



KOSMOS GREY



ORAYON BEIGE




ORAYON GREY


THE ULTIMA
800x1600 mm



AGARIA WHITE



MORKANA WHITE



STATUARIO CLASSICO

BRILLIANT WHITE POLISHED

BRILLIANT WHITE POLISHED


BRILLIANT WHITE SILK MATT

CONTINUOUS GRAPHIC




MORKANA WHITE | BRILLIANT WHITE POLISHED

THE ULTIMA
800x1600 mm




BRECCIA BRONZE

PREMIUM POLISHED



LUCCA BROWN

PREMIUM POLISHED



IRISH BROWN

PREMIUM POLISHED




BRECCIA BRONZE | PREMIUM POLISHED

THE ULTIMA
800x1600 mm




LIBERTY GREY

PREMIUM POLISHED



VOLCANO AZUL

PREMIUM POLISHED



DEJA GREY

PREMIUM POLISHED



GROOT GREY

PREMIUM POLISHED



GROOT GREY | PREMIUM POLISHED

THE ULTIMA
800x1600 mm



ASTER BEIGE

POLISHED



ISHAKA BEIGE

POLISHED



ISHAKA GREY

POLISHED



ONYX PARADISO

POLISHED



ONYX PARADISO | POLISHED

THE ULTIMA
800x1600 mm



ROYAL BOTTICINO

POLISHED



FANTASY BLISS

POLISHED



VIVERA BEIGE

POLISHED



VIVERA GREY

POLISHED



FANTASY BLISS | POLISHED

THE ULTIMA
800x1600 mm



STELLAR MARFIL

GLITZ MATT



REGAL BOTTICINO

GLITZ MATT



STELLAR BEIGE

GLITZ MATT



STELLAR GREY

GLITZ MATT




REGAL BOTTICINO | GLITZ MATT

THE ULTIMA
800x1600 mm




TIARA MARFIL

GLITZ MATT



TIARA GRIS

GLITZ MATT



TIARA TAUPE

GLITZ MATT



TIARA TAUPE | GLITZ MATT

THE ULTIMA
800x1600 mm



PYUS MARFIL

SILK MATT



KOSMOS BEIGE

SILK MATT



KOSMOS GREY

SILK MATT



TIARA GRIS & PYUS MARFIL | GLITZ MATT & SILK MATT

THE ULTIMA
800x1600 mm



ORAYON BEIGE

SILK MATT



ORAYON GREY

SILK MATT



ORAYON BEIGE | SILK MATT

PACKING DETAILS

DIMENSIONS (MM)	NO. OF SLABS/BOX	COVERAGE AREA
800X1600	02	2.56 m ²

TECHNICAL SPECIFICATIONS

S.No	Technical Characteristics	* IS 15622:2017, *EN 14411:2016 & ISO 13006:2018 Group Bla (Annex G) Standard's Requirement	Kajaria Eternity Tile's Specifications	Test method
1.	Deviation in length & width	± 0.1 % ± 0.6 %/ ± 0.3 %	± 0.10 %	IS 13630-1 EN ISO 10545-2
2.	Deviation in thickness	± 5.0 %	± 5.00 %	IS 13630-1 EN ISO 10545-2
3.	Deviation in Straightness of sides	± 0.1 % ± 0.5 %/± 0.3 %	± 0.10 %	IS 13630-1 EN ISO 10545-2
4.	Deviation in Rectangularity	± 0.1 % ± 0.5 %/± 0.3 %	± 0.10 %	IS 13630-1 EN ISO 10545-2
5.	Deviation in Surface Flatness	± 0.5 % ± 0.5 %/± 0.4 %	± 0.15 %	IS 13630-1 EN ISO 10545-2
6.	Surface quality	95% of the tiles shall be free from visible defects	95% of the tiles shall be free from visible defects	IS 13630-1 EN ISO 10545-2
7.	Modulus of rupture	Avg. 35 N/mm ² , individual Min 32 N/mm ²	≥ 40 N/mm ²	IS 13630-6 / EN ISO 10545-4
8.	Breaking strength	Minimum 1300 N	≥ 2000 N ≥ 7000 N (Only for 60x60x1.5 cm) ≥ 1800 N (Only for 40x80 & 13x80 cm)	IS 13630-6 / EN ISO 10545-4
9.	Bulk Density	Minimum 2.20 g/cc	≥ 2.25 g/cc	IS 13630-2
10.	Glossiness	Manufacture to state the class	Min 5 for Rustic/Matt/Satin Finish Min 90 for Polish Finish	Glossimeter 60 degrees
11.	Water Absorption	≤ 0.08 %, Individual Max 0.1% ≤ 0.5 %, Individual Max. 0.6 %	≤ 0.08 %, Individual Max 0.1% ≤ 0.3 % (Only for 40x80 & 13x80 cm)	IS 13630-2 / EN ISO 10545-3
12.	Resistance to surface abrasion of Glazed tiles	Minimum Class II Report abrasion class and cycles passed	PEI-Class III to Class IV	IS 13630-11 EN ISO 10545-7
13.	Thermal expansion from ambient temperature to 100 ° C	Test method available	6x10 ⁻⁴ K ⁻¹ Maximum	IS 13630-4 EN ISO 10545-8
14.	Thermal shock resistance	10 cycles Minimum Test method available	10 cycles Minimum	IS 13630-5 EN ISO 10545-9
15.	Moisture expansion	Maximum 0.02 Millimeter/Metre Test method available	Nil	IS 13630-3 EN ISO 10545-10
16.	Crazing resistance (Glazed Tiles)	Passes 4 cycles at 7.5 kg/cm ² Required	Passes 4 cycles at 7.5 kg/cm ²	IS 13630-9 EN ISO 10545-11
17.	Frost resistance	Required	100 cycles Minimum	IS 13630-10 EN ISO 10545-12
18.	Resistance to Household Chemicals & Swimming Pool Salts #	Minimum Class AA Minimum GB	Minimum Class AA Minimum GB	IS 13630-8 EN ISO 10545-13
19.	Resistance to low & high concentration of acids & alkalis #	Manufacturer to state classification	Minimum Class AA Minimum GLB,GHB	IS 13630-8 EN ISO 10545-13
20.	Stain resistance**	Minimum Class 1 Minimum Class 3	Minimum Class 1 Minimum Class 3	IS 13630-8 EN ISO 10545-14
21.	Slipperiness	Test method available	≥ R-10 for Rustic/Matt/Satin Finish ≥ R-9 for Polish Finish	DIN 51130:2014
22.	Co-efficient of friction	Manufacture to state the class	≥ 0.32 for Rustic/Matt/Satin Finish > 0.20 for Polish Finish	ISO 10545-17
23.	Scratch hardness of surface(Moh's scale)	Minimum 5 Test method available	Min 6 for Rustic/Matt/Satin Finish Min 5 for Polish/Marbletech Finish	IS 13630-13 EN 101
24.	Impact Resistance	Minimum 0.55 Test method available	Min 0.55 & No identification of cracking	IS 13630-14 EN ISO 10545-5

Resistance to acids & alkalis (Exception of Hydrofluoric acid & its compounds)

** Vitrified tiles have resistance to most of the stains / chemicals but, it is recommended to take due care while laying and for day-to-day maintenance.

* Applicable in Gailpur plant only.

Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selection.

Sizes mentioned in the catalogue are nominal sizes only.

No claim will be entertained once the tiles are fixed.

For better laying, please follow the instructions on the packaging box.

In case it is required to lay the tiles on wall or floor in STAGGERED PATTERN, then always lay them in Overlap 20:80 ratio, as shown in VISUAL 1 instead of Brick pattern (overlap 50:50 ratio), as shown in VISUAL 2.

Please make sure to check the shade/finish with the sales agent/dealer before making the final purchase because there might be variation in actual finish and that shown in the catalogue. The company will not bear any loss in such case.



VISUAL 1



VISUAL 2



DISPLAY CENTRE

North

CHANDIGARH:

SCO-8,1st floor, Sector 7C,
Madhya Marg, Chandigarh-160019
Phone: +91-172- 4631417
Mobile: 9779021253, 9779021262

DEHRADUN:

Fortuna Tower, 1078, First Floor,
Opp. IMA Blood Bank,
Chakrata Road Dehradun - 248001
Mobile: 7755001347, 9717795202
7755001346

JAIPUR:

G-1, G-2, Aishwarya Tower,
Near Hotel Hawa Mahal, Ajmer Road
Jaipur-302005, Rajasthan
Phone - +91-141 2223425, 9799495766

LUCKNOW:

7, Tajpuria palace, Faizabad Road,
Indira Nagar, Lucknow, Uttar Pradesh
Mobile: 9717795204,9956252777

VARANASI:

Rukmani Tower, N8/247-2K-1,
DLW, BHU Road, Newada, Sunderpur
Varanasi-221005, Uttar Pradesh
Mobile: 9794865554, 9005095500

Sales Representative

NORTH

GURGAON:

Mobile: 9971744115, 9717795210,
9717745205

NOIDA:

Mobile: 9717795156, 9717795200,
9717795205

DELHI & FARIDABAD:

Mobile: 9560553304, 9717795029,
9717795192

KUMAON:

Mobile: 7755001348, 7755001349,
9717795202

WESTERN UP:

Mobile: 9717795202, 8800093020,
7755001348

HARYANA:

Mobile: 8295200155, 8295200410

South

BANGALORE:

Farah Icon, 119 2nd Floor,
Opp. New Pass Port Kendra, Lalbagh Road,
Bangalore-560027, Karnataka
Mobile: 9008402949, 9008016799

CHENNAI:

Old No.10, New No.46, Montieth Road Above Wait
Rose Super market
Egmore, Chennai - 600008.
Mobile: 9791178678, 9952094333

COIMBATORE:

1st Floor, No.57, Cowley Brown Road, Near
CentralLibrary, R.S. Puram Coimbatore-641002.
Mobile: 9629944454,9677708080

COCHIN:

Door No. 48/557-C, MN Square
Near Gold Souk, NH By-Pass, Vyttila,
Cochin 682019, Kerala
Mobile: 9995868863, 9746473684, 7303663188

HYDERABAD:

#3 - 143, 1st Floor, Nirvana Building,
Kavuri Hills, Police Station Opp.Road, Madhapur
Hyderabad - 500081, Telangana
Mobile: 9000304996, 9000304992, 9000005383,
7680000890, 9000304997

LUDHIANA:

Mobile: 9779021264, 979021270,
9779021255, 9779021267

HIMANCHAL PRADESH:

Mobile: 9779027169, 9779021253

JAMMU & KASHMIR:

Mobile: 9906906622, 9086411081

EAST

ASSAM:

Mobile: 9311299711, 9903234184

BIHAR:

Mobile: 9771458963,9892408080

JHARKHAND:

Mobile:9771458963, 882918988,
8882918986

ORISSA:

Mobile: 9937185338, 9937285865,
8882918923

WEST BENGAL / KOLKATA:

Mobile: 9007011022, 9007011028,
9007062814

CENTRAL

CHHATTISGARH:

Mobile: 9981528088

RAIPUR:

Mobile: 9758598467,9981528088

BILASPUR:

Mobile: 7898028779,9981528088

BHOPAL:

Mobile: 9981528092

INDORE:

Mobile: 9630025576, 9981528089

West

MUMBAI:

B WING, 617-620, Bonanza,
Sahar Plaza Complex, 6th Floor,
M. V Road, Near Hotel Kohinoor
Continental, JB Nagar, Andheri East.
Mumbai - 400059, Maharashtra
Mobile: 8968586560, 9987789500

PUNE:

2nd Floor, Grace Platina,
Opp.Kumar Pacific Mall,
Shankar Seth Road,Pune - 411042
Mobile: 9730088497, 9730088498

WEST

AURANGABAD:

Mobile: 8600992620, 9730088497

GOA:

Mobile: 9665046116, 9730088497,
7028018708

NASIK:

Mobile: 8600992620, 9730088497,
7028030538

AHMEDABAD:

Mobile: 9998804440, 9724340887

NAGPUR:

Mobile: 9987538689, 9730088497

SOUTH

ANDHRA PRADESH:

Mobile: 9000300790

VIJAYWADA:

Mobile: 7680046467, 9000300790



JANUARY - 2022

Toll Free No. : 1800 309 309 | Email : info@kajariaeternity.com | For exports : global@kajariaeternity.com
Website : www.kajariaeternity.com